


Upgrade issues


Graph of new conflicts








Explanations of conflicts



Similar to **libmedc1**: libmedc-dev

Weight: 116


Problematic packages: libmedc1 | octave-pkg-dev



Similar to **libminc2-1**: minc-tools libminc-dev

Weight: 116


Problematic packages: libminc2-1 | octave-pkg-dev



Similar to **libmed1**: libmed-dev libmed-tools

Weight: 116

Problematic packages: libmed1 | octave-pkg-dev



Similar to **libluminate7**: libluminate-dev illuminator-demo

Weight: 32


Problematic packages: libluminate7 | octave-pkg-dev



Similar to cman: redhat-cluster-suite rgmanager clvm

Weight: 108

Problematic packages: cman




Similar to museekd: musetup-gtk

Similar to libfam0: libfam-dev libfam0c102


Weight: 74

Problematic packages: museekd



Weight: 332


Problematic packages: epiphany-browser-dev



Similar to epiphany-browser-dbg: gnome-dbg

Weight: 818

Problematic packages: epiphany-browser-dbg



Weight: 305


Problematic packages: bacula-director-mysql | bacula-sd-sqlite3



Similar to libkipi0: libkipi0-dev

Weight: 72


Problematic packages: libkdcraw-dev



Similar to libmedc1: libmedc-dev

Weight: 10

Problematic packages: libhdf5-mpich-dev | libmedc1



Similar to libminc2-1: minc-tools libminc-dev


Weight: 10

Problematic packages: libhdf5-mpich-dev | libminc2-1



Weight: 20


Problematic packages: libminc-dev



Similar to libtextcat-data: libtextcat0 deskbar-plugins-pinot createfp pinot libtextcat-dev

Weight: 45


Problematic packages: openoffice.org-common | openoffice.org-dbg



Similar to libmedc1: libmedc-dev

Weight: 26


Problematic packages: libhdf5-lam-dev | libmedc1



Similar to **libminc2-1**: minc-tools libminc-dev

Weight: 26

Problematic packages: libhdf5-lam-dev | libminc2-1



Weight: 243

Problematic packages: libgdal1-dev | libhdf4g-dev



Weight: 41

Problematic packages: shorewall-perl



Similar to **digikam**: showfoto digikam-dbg

Similar to **libkipi0**: libkipi0-dev

Weight: 719


Problematic packages: digikam



Similar to **libdb4.6-dev**: libdb4.6+-dev

Weight: 1808


Problematic packages: libdb-dev



Similar to **libdb4.6-dev**: libdb4.6+-dev

Weight: 157


Problematic packages: libdb-dev | libdb4.2-dev | libdb4.5-dev



Similar to libdb4.6-dev: libdb4.6+-dev

Weight: 64

Problematic packages: libdb-dev | libdb4.2-dev | libdb4.5-dev




Similar to libhdf5-serial-dev: libgdal1-dev

Similar to libmedc1: libmedc-dev

Weight: 131

Problematic packages: libhdf5-serial-dev | libmedc1




Similar to libhdf5-serial-dev: libgdal1-dev

Similar to libminc2-1: minc-tools libminc-dev

Weight: 144


Problematic packages: libhdf5-serial-dev | libminc2-1



Similar to libreadline5-dev: libreiser4-dev

Weight: 63


Problematic packages: liblua5.1-0-dev | libluabind-dev | libreadline5-dev



Similar to libreadline5-dev: libreiser4-dev

Weight: 159


Problematic packages: liblash-dev



Similar to libreadline5-dev: libreiser4-dev

Weight: 95


Problematic packages: libreadline5-dev | swi-prolog-odbc



Similar to libreadline5-dev: libreiser4-dev

Weight: 11


Problematic packages: libreadline5-dev | spl-dev



Similar to libreadline5-dev: libreiser4-dev

Weight: 14


Problematic packages: libecasoundc2.2-dev | libreadline5-dev



Similar to libreadline5-dev: libreiser4-dev

Weight: 280


Problematic packages: libfluidsynth-dev



Similar to libreadline5-dev: libreiser4-dev

Weight: 64


Problematic packages: libreadline5-dev | librpm-dev



Similar to libgd2-noxpm: libgd2-noxpm-dev

Weight: 782


Problematic packages: mldonkey-server



Similar to epiphany-extensions: gnome

Weight: 6094

Problematic packages: epiphany-extensions



Similar to r-base-dev: r-base-core-debug

Similar to libreadline5-dev: libreiser4-dev


Weight: 2812

Problematic packages: libreadline5-dev | r-base-dev




Weight: 135

Problematic packages: libarpack2-dev



Weight: 10


Problematic packages: libvigrainpex-dev



Similar to libmedc1: libmedc-dev

Weight: 66


Problematic packages: libmedc1 | libvigrainpex-dev



Similar to libminc2-1: minc-tools libminc-dev

Weight: 66

Problematic packages: libminc2-1 | libvigrainpex-dev




Weight: 26

Problematic packages: libvigrainpex-dev



Weight: 10


Problematic packages: libmapnik-dev



Similar to libmedc1: libmedc-dev

Weight: 21

Problematic packages: libhdf5-serial-dev | libmapnik-dev | libmedc1



Similar to libminc2-1: minc-tools libminc-dev

Weight: 21

Problematic packages: libhdf5-serial-dev | libmapnik-dev | libminc2-1




Weight: 21

Problematic packages: libmapnik-dev



Weight: 21

Problematic packages: libgdal1-dev | libhdf4g-dev | libmapnik-dev



Similar to deejayd: deejayd-webui

Similar to python-pysqlite1.1: python-pysqlite1.1-dbg

Weight: 20

Problematic packages: deejayd




Similar to sendmail-bin: sendmail dhis-mx-sendmail-engine

Similar to harden-servers: harden

Weight: 515


Problematic packages: harden-servers



Similar to libdb4.6-dev: libdb4.6++-dev

Weight: 180

Problematic packages: libdb-dev | libdb4.2-dev | libdb4.5-dev



Similar to libreadline5-dev: libreiser4-dev

Weight: 180

Problematic packages: clisp-dev




Similar to krita: koffice-dev koffice

Similar to libkipi0: libkipi0-dev

Weight: 719

Problematic packages: krita



Similar to libgd2-noxpm: libgd2-noxpm-dev

Weight: 41


Problematic packages: xtartan



Similar to libkipi0: libkipi0-dev

Weight: 687


Problematic packages: tellico



Similar to libreadline5-dev: libreiser4-dev

Weight: 251

Problematic packages: guile-1.6-dev




Weight: 66

Problematic packages: libvigrainpex-dev



Weight: 21

Problematic packages: libmapnik-dev




Similar to guile-1.8-dev: libgeda-dev guile-cairo-dev

Similar to libreadline5-dev: libreiser4-dev


Weight: 441

Problematic packages: guile-1.8-dev



Weight: 29


Problematic packages: talkd



Similar to qt-x11-free-dbg: kdelibs-dbg

Weight: 108


Problematic packages: kdebase-dbg | kdebase-runtime-dbg | kdelibs5-dbg



Similar to qt-x11-free-dbg: kdelibs-dbg

Weight: 34

Problematic packages: kdedadmin-dbg | kdebase-runtime-dbg | kdelibs5-dbg



Similar to qt-x11-free-dbg: kdelibs-dbg

Weight: 21


Problematic packages: kdebase-runtime-dbg | kdelibs5-dbg | kdewebdev-dbg



Similar to qt-x11-free-dbg: kdelibs-dbg

Weight: 37

Problematic packages: kdebase-runtime-dbg | kdegraphics-dbg | kdelibs5-dbg



Similar to qt-x11-free-dbg: kdelibs-dbg

Weight: 41

Problematic packages: kdebase-runtime-dbg | kdelibs5-dbg | kdemultimedia-dbg



Similar to qt-x11-free-dbg: kdelibs-dbg

Weight: 38


Problematic packages: kdebase-runtime-dbg | kdelibs5-dbg | kdeutils-dbg



Similar to qt-x11-free-dbg: kdelibs-dbg

Weight: 20

Problematic packages: kdebase-runtime-dbg | kdeedu-dbg | kdelibs5-dbg



Similar to qt-x11-free-dbg: kdelibs-dbg

Weight: 58

Problematic packages: kdelibs5-dbg | kdepim-dbg



Similar to qt-x11-free-dbg: kdelibs-dbg

Weight: 13

Problematic packages: kdebase-runtime-dbg | kdelibs5-dbg | kdetoys-dbg




Similar to qt-x11-free-dbg: kdelibs-dbg

Similar to libqt4-dbg: kdelibs5-dbg | kdepimlibs-dbg | kdebase-runtime-dbg

Weight: 127

Problematic packages: libqt4-dbg



Weight: 855

Problematic packages: talkd



Weight: 24

Problematic packages: kannel-dev



Similar to libspooles-dev: petsc-dev libluminate-dev

Weight: 135

Problematic packages: libspooles-dev



Similar to libgd2-noxpm: libgd2-noxpm-dev

Weight: 368


Problematic packages: ldap-account-manager



Similar to libgd2-noxpm: libgd2-noxpm-dev

Weight: 38

Problematic packages: movabletype-opensource



Weight: 38


Problematic packages: movabletype-opensource



Similar to torrus-apache2: torrus-apache

Weight: 26

Problematic packages: torrus-apache2



Similar to libgd2-noxpm: libgd2-noxpm-dev

Weight: 68

Problematic packages: enscribe



Similar to qt-x11-free-dbg: kdelibs-dbg

Weight: 40

Problematic packages: digikam-dbg | kdelibs5-dbg




Similar to fretsonfire-game: fretsonfire fretsonfire-songs-sectoid

Similar to libgl1-mesa-sw11: libgl1-mesa-sw11-dbg libgl1-mesa-sw11-dev libgl1-mesa-sw11-i686


Weight: 459

Problematic packages: fretsonfire-game



Weight: 112

Problematic packages: bacula-director-sqlite3 | bacula-sd-pgsql



Weight: 112


Problematic packages: bacula-director-mysql | bacula-sd-pgsql



Similar to qt-x11-free-dbg: kdelibs5-dbg

Weight: 11

Problematic packages: kdebase-runtime-dbg | kdelibs5-dbg | koffice-dbg



Similar to libkvutils2.2-dev: libecasound2.2-dev

Similar to libreadline5-dev: libreiser4-dev

Weight: 14


Problematic packages: libkvutils2.2-dev | libreadline5-dev



Similar to torrus-apache2: torrus-apache

Weight: 26


Problematic packages: torrus-apache2



Similar to libmed1: libmed-dev libmed-tools

Weight: 10


Problematic packages: libhdf5-mpich-dev | libmed1



Similar to libmed1: libmed-dev libmed-tools

Weight: 26

Problematic packages: libhdf5-lam-dev | libmed1




Similar to libmed1: libmed-dev libmed-tools

Similar to libhdf5-serial-dev: libgdal1-dev

Weight: 182


Problematic packages: libhdf5-serial-dev | libmed1



Similar to libmed1: libmed-dev libmed-tools

Weight: 66


Problematic packages: libmed1 | libvigrainpex-dev



Similar to libmed1: libmed-dev libmed-tools


Weight: 21

Problematic packages: libhdf5-serial-dev | libmapnik-dev | libmed1



Weight: 34


Problematic packages: libdb-dev | libetpan-dev



Similar to libdb4.6-dev: libdb4.6++-dev


Weight: 34

Problematic packages: libetpan-dev



Weight: 34

Problematic packages: libdb-dev | libdb4.2-dev | libdb4.5-dev | libetpan-dev



Weight: 34


Problematic packages: libdb-dev | libdb4.2-dev | libdb4.5-dev | libetpan-dev



Similar to libpcp-trace2: pcp

Weight: 36


Problematic packages: libpcp-trace2



Similar to qt-x11-free-dbg: kdelibs-dbg


Weight: 25

Problematic packages: kdeaccessibility-dbg | kdebase-runtime-dbg | kdelibs5-dbg




Weight: 28

Problematic packages: grub | grub-efi | grub-ieee1275 | grub-linuxbios | grub-pc



Problematic packages: grub | grub-efi | grub-ieee1275 | grub-linuxbios | grub-pc



Weight: 18


Problematic packages: grub | grub-efi | grub-ieee1275 | grub-linuxbios



Similar to qt-x11-free-dbg: kdelibs5-dbg

Weight: 40

Problematic packages: kdbase-runtime-dbg | kdegames-dbg | kdelibs5-dbg



Similar to libgd2-noxpm: libgd2-noxpm-dev


Weight: 201

Problematic packages: phpbb3



Weight: 6094

Problematic packages: epiphany-browser



Similar to libsnmp-dev: lustre-source libifstat-dev

Weight: 1271

Problematic packages: libsnmp-dev



Similar to qt-x11-free-dbg: kdelibs5-dbg

Weight: 53

Problematic packages: kaffeine-dbg | kdelibs5-dbg



Similar to libfox-1.6-dev: libtao-foxresource-dev libace-foxreactor-dev

Similar to libgl1-mesa-sw11: libgl1-mesa-sw11-dbg libgl1-mesa-sw11-dev libgl1-mesa-sw11-i686

Weight: 87

Problematic packages: libfox-1.6-dev



Similar to libvtk5-dev: libvtk5-qt4-dev libvtk5-qt3-dev ifrit vtk-tcl

Weight: 113


Problematic packages: libvtk5-dev



Similar to libvtk5-dev: libvtk5-qt4-dev libvtk5-qt3-dev ifrit vtk-tcl


Weight: 135

Problematic packages: libvtk5-dev



Weight: 6094

Problematic packages: epiphany-gecko




Weight: 22

Problematic packages: sepia



Weight: 508

Problematic packages: octave-image



Weight: 855


Problematic packages: talkd



Similar to libkipi0: libkipi0-dev

Weight: 719

Problematic packages: kipi-plugins



Weight: 11

Problematic packages: bacula-director-sqlite | bacula-sd-pgsql



Similar to ifupdown: ifupdown-scripts-zg2 ifscheme

Weight: 19

Problematic packages: netscript-2.4



Weight: 19

Problematic packages: shorewall-perl



Similar to openoffice.org-common: openoffice.org-filter-binfilter openoffice.org-base-core openoffice.org-officebean openoffice.org-presentation-minimizer openoffice.org-draw openoffice.org-thesaurus-en-au docvert-openoffice.org openoffice.org-thesaurus-en-us openoffice.org-voikko openoffice.org-help-zh-cn openoffice.org-help-zh-tw mozilla-openoffice.org openoffice.org-thesaurus-de-ch openoffice.org-ctl-he openoffice.org-hyphenation-hr openoffice.org-evolution openoffice.org-java-common openoffice.org-filter-mobiledev openoffice.org-help-cs openoffice.org-help-da openoffice.org-help-de openoffice.org-help-dz openoffice.org-help-es openoffice.org-help-et openoffice.org-help-eu openoffice.org-help-fr openoffice.org-help-gl openoffice.org-help-hu openoffice.org-help-ja openoffice.org-help-it openoffice.org-help-km openoffice.org-help-ko openoffice.org-style-andromeda openoffice.org-help-nl openoffice.org-help-pl openoffice.org-help-pt openoffice.org-help-ru openoffice.org-help-sl openoffice.org-help-sv openoffice.org cli-uno-bridge openoffice.org-style-hicontrast openoffice.org-base openoffice.org-sdbc-postgresql openoffice.org-style-tango openoffice.org-writer2latex unoconv openoffice.org-style-industrial openoffice.org-report-builder-bin openoffice.org-ogltrans openoffice.org-impress openoffice.org-style-crystal openoffice.org-gnome broffice.org openoffice.org-calc libuno-cli-cppuhelper1.0-cil openoffice.org-writer openoffice.org-thesaurus-cs openoffice.org-thesaurus-de openoffice.org-thesaurus-it openoffice.org-thesaurus-ne openoffice.org-thesaurus-pl openoffice.org-thesaurus-ru openoffice.org-thesaurus-sk openoffice.org-math openoffice.org-help-hi-in openoffice.org-dev openoffice.org-core openoffice.org-gcj openoffice.org-emailmerge openoffice.org-gtk openoffice.org-help-en-gb openoffice.org-help-pt-br openoffice.org-help-en-us openoffice.org-kde openoffice.org-report-builder python-uno

Similar to libtextcat-data: libtextcat0 deskbar-plugins-pinot createfp pinot libtextcat-dev

Weight: 17401

Problematic packages: openoffice.org-common



Similar to kdegraphics: kde

Similar to libkipi0: libkipi0-dev

Weight: 719


Problematic packages: kdegraphics



Similar to libkipi0: libkipi0-dev


Weight: 719

Problematic packages: gwenview




Weight: 333

Problematic packages: bacula-director-sqlite3 | bacula-sd-mysql




Weight: 11

Problematic packages: bacula-director-sqlite | bacula-sd-mysql




Weight: 28

Problematic packages: grub | grub-efi | grub-ieee1275 | grub-linuxbios | grub-pc



Problematic packages: grub | grub-efi | grub-ieee1275 | grub-linuxbios | grub-pc



Weight: 18


Problematic packages: grub | grub-efi | grub-ieee1275 | grub-linuxbios



Similar to libkipi0: libkipi0-dev

Weight: 719

Problematic packages: kde-core




Similar to liblua5.1-0-dev: lua5.1-policy-dev libtolua-dev luarocks

Similar to libreadline5-dev: libreiser4-dev


Weight: 2406

Problematic packages: liblua5.1-0-dev | libreadline5-dev



Weight: 247


Problematic packages: gnulib



Similar to libpt-dev: libopal-dev


Weight: 146

Problematic packages: libopenh323-dev



Weight: 3

Problematic packages: ltsp-client




Similar to libcurl4-openssl-dev: libxmltooling-dev libshibsp-dev libsaml2-dev

Similar to libraptor1-dev: librdf0-dev liblrdf0-dev

Weight: 271


Problematic packages: libraptor1-dev



Similar to libcurl4-openssl-dev: libxmltooling-dev libshibsp-dev libsaml2-dev


Weight: 21

Problematic packages: libmapnik-dev



Weight: 3


Problematic packages: ltsp-client



Similar to kdelibs4-dev: libkamefu-dev

Weight: 72


Problematic packages: libkdcraw-dev



Similar to kdelibs4-dev: libkamefu-dev

Weight: 80


Problematic packages: libkexiv2-dev



Similar to kdelibs4-dev: libkamefu-dev

Weight: 94


Problematic packages: kdemultimedia-dev



Similar to kdelibs4-dev: libkamefu-dev

Weight: 11


Problematic packages: libkdeedu-dev



Similar to kdelibs4-dev: libkamefu-dev

Weight: 147

Problematic packages: kdevelop-dev



Similar to kdelibs4-dev: libkamefu-dev

Weight: 19


Problematic packages: koffice-dev



Similar to libgd2-noxpm: libgd2-noxpm-dev


Weight: 32

Problematic packages: serendipity



Weight: 71

Problematic packages: libgs-dev



Similar to libreadline5-dev: libreiser4-dev

Weight: 73

Problematic packages: libgdb-dev | libreadline5-dev



Similar to radiusclient1: portslave

Weight: 266

Problematic packages: libradiusclient-ng-dev



Weight: 43

Problematic packages: libradius1-dev



Weight: 41

Problematic packages: shorewall-shell



Weight: 19


Problematic packages: shorewall-shell



Similar to museekd: musetup-gtk

Weight: 74

Problematic packages: museekd



Similar to libreadline5-dev: libreiser4-dev

Weight: 523

Problematic packages: libreadline5-dev | swi-prolog



Weight: 235

Problematic packages: paraview | qt4-dev-tools




Similar to typo3-dummy: typo3

Similar to libgd2-noxpm: libgd2-noxpm-dev

Weight: 147

Problematic packages: typo3-dummy



Similar to libkipi0: libkipi0-dev

Weight: 415

Problematic packages: kphotoalbum



Weight: 18


Problematic packages: openswan



Similar to ike: ike-qtgui

Weight: 187

Problematic packages: openswan



Weight: 188

Problematic packages: racoon | strongswan



Weight: 18

Problematic packages: racoon



Similar to ike: ike-qtgui


Weight: 187

Problematic packages: racoon



Weight: 516


Problematic packages: racoon



Similar to libluminate7: libluminate-dev illuminator-demo

Weight: 10


Problematic packages: libhdf5-mpich-dev | libluminate7



Similar to libluminate7: libluminate-dev illuminator-demo

Weight: 26

Problematic packages: libhdf5-lam-dev | libluminate7




Similar to libluminate7: libluminate-dev illuminator-demo

Similar to libhdf5-serial-dev: libgdal1-dev

Weight: 32


Problematic packages: libhdf5-serial-dev | libluminate7



Similar to libluminate7: libluminate-dev illuminator-demo

Weight: 32

Problematic packages: libluminate7 | libvigrainpex-dev



Similar to libluminate7: libluminate-dev illuminator-demo

Weight: 21

Problematic packages: libhdf5-serial-dev | libluminate7 | libmapnik-dev




Weight: 41

Problematic packages: shorewall-common



Weight: 19

Problematic packages: shorewall-common



Similar to gnome-core: gnome-desktop-environment gnome-accessibility gnome

Weight: 756


Problematic packages: gnome-core



Similar to libreadline5-dev: libreiser4-dev

Weight: 75

Problematic packages: guile-1.8-dev | libctld-dev




Weight: 75

Problematic packages: libctld-dev



Weight: 21

Problematic packages: libmapnik-dev



Similar to libipt-dev: libopal-dev


Weight: 270

Problematic packages: libipt-dev



Weight: 25


Problematic packages: gromacs-mpich



Similar to qt-x11-free-dbg: kdelibs-dbg

Weight: 49


Problematic packages: kdebase-runtime-dbg | kdelibs5-dbg | kdenetwork-dbg



Similar to libxml-security-c-dev: libxmltooling-dev libshibsp-dev libsaml2-dev

Weight: 21

Problematic packages: libmapnik-dev | libxml-security-c-dev




Similar to libxml-security-c-dev: libxmltooling-dev libshibsp-dev libsaml2-dev

Similar to libxerces-c2-dev: libgdal1-dev libcegui-mk2-dev libxalan110-dev

Weight: 54

Problematic packages: libxml-security-c-dev



Weight: 87

Problematic packages: libflickcurl-dev | libraptor1-dev



Similar to libcurl4-openssl-dev: libxmltooling-dev libshibsp-dev libsaml2-dev


Weight: 87

Problematic packages: libflickcurl-dev | libraptor1-dev



Weight: 10

Problematic packages: petsc-dev



Weight: 26


Problematic packages: petsc-dev



Similar to libhdf5-serial-dev: libgdal1-dev


Weight: 70

Problematic packages: petsc-dev




Weight: 66

Problematic packages: libvigrainpex-dev | petsc-dev



Weight: 21


Problematic packages: libmapnik-dev | petsc-dev



Similar to kdelibs4-dev: libkamefu-dev

Weight: 2


Problematic packages: libkitten-dev



Similar to cups: hpijs-ppds hplip cups-dbg bluez-cups hplip-gui cups-pdf cups-driver-gutenprint


Weight: 750

Problematic packages: cups




Weight: 114

Problematic packages: bacula-director-pgsql | bacula-sd-sqlite3



Weight: 114


Problematic packages: bacula-director-pgsql | bacula-sd-mysql



Similar to kdelibs4-dev: libkamefu-dev


Weight: 28

Problematic packages: libkdegames-dev



Weight: 147

Problematic packages: backuppc



Weight: 606

Problematic packages: splix



Similar to qt-x11-free-dbg: kdelibs-dbg

Weight: 30

Problematic packages: kdebase-runtime-dbg | kdelibs5-dbg | kdesdk-dbg



Similar to qt4-dev-tools: libsoqt4-dev

Weight: 235


Problematic packages: qt4-dev-tools



Similar to gfs2-tools: redhat-cluster-suite gfs-tools

Weight: 90


Problematic packages: cman | gfs2-tools



Similar to libreadline5-dev: libreiser4-dev


Weight: 182

Problematic packages: libreadline5-dev



Weight: 4

Problematic packages: bacula-director-mysql | bacula-sd-sqlite



Weight: 4

Problematic packages: bacula-director-pgsql | bacula-sd-sqlite



Similar to python-pyorbit-omg: ows gnome-osd


Weight: 71

Problematic packages: python-omniorb-omg



Weight: 6

Problematic packages: yaskkserv



Similar to lxde-common: lxde-core lxde

Weight: 278


Problematic packages: lxde-common



Similar to gnome-desktop-environment: gnome


Weight: 12636

Problematic packages: gnome-desktop-environment




Weight: 6

Problematic packages: libhdf5-mpich-dev | python-petsc4py



Weight: 6


Problematic packages: libhdf5-lam-dev | python-petsc4py



Similar to libhdf5-serial-dev: libgdal1-dev


Weight: 6

Problematic packages: libhdf5-serial-dev | python-petsc4py




Weight: 6

Problematic packages: libvigrainpex-dev | python-petsc4py



Weight: 6

Problematic packages: libhdf5-serial-dev | libmapnik-dev | python-petsc4py




Similar to libaprutil1-dev: libsvnqt-dev libserf-0-0-dev libsvncpp-dev apache2-prefork-dev apache2-threaded-dev libsvn-dev

Similar to libdb4.6-dev: libdb4.6+-dev

Weight: 1808


Problematic packages: libaprutil1-dev



Similar to libaprutil1-dev: libsvnqt-dev libserf-0-0-dev libsvncpp-dev apache2-prefork-dev apache2-threaded-dev libsvn-dev

Weight: 34

Problematic packages: libaprutil1-dev | libetpan-dev



Similar to cman: redhat-cluster-suite rgmanager clvm

Weight: 108


Problematic packages: cman



Similar to gfs2-tools: redhat-cluster-suite gfs-tools

Weight: 90

Problematic packages: cman | gfs2-tools



Weight: 34

Problematic packages: libdb-dev | libdb4.2-dev | libdb4.5-dev | libetpan-dev



Weight: 51

Problematic packages: rmail

Full list of problematic packages: backuppc, clisp-dev, cman, cups, deejayd, digikam, enscribe, epiphany-browser, epiphany-browser-dbg, epiphany-browser-dev, epiphany-extensions, epiphany-gecko, fretsonfire-game, gnome-core, gnome-desktop-environment, gnulib, gromacs-mpich, guile-1.6-dev, guile-1.8-dev, gwenview, harden-servers, kannel-dev, kde-core, kdegraphics, kdemultimedia-dev, kdevelop-dev, kipi-plugins, koffice-dev, kphotoalbum, krita, ldap-account-manager, libaprutil1-dev, libarpack2-dev, libctl-dev, libdb-dev, libetpan-dev, libfluidsynth-dev, libfox-1.6-dev, libgs-dev, libkdcraw-dev, libkdeedu-dev, libkdegames-dev, libkexiv2-dev, libkiten-dev, liblash-dev, libmapnik-dev, libmimc-dev, libopenh323-dev, libpcp-trace2, libpt-dev, libqt4-dbg, libradius1-dev, libradiusclient-ng-dev, libraptor1-dev, libreadline5-dev, libsnmp-dev, libspooles-dev, libvigrainpex-dev, libvtk5-dev, libxml-security-c-dev, ltspp-client, lxde-common, mldonkey-server, movabletype-opensource, museekd, netscript-2.4, octave-image, openoffice.org-common, openswan, petsc-dev, phpbb3, python-omniorb-omg, qt4-dev-tools, racoon, rmail, sepia, serendipity, shorewall-common, shorewall-perl, shorewall-shell, splix, talkd, tellico, torrus-apache2, typo3-dummy, xtartan, yaskkserv, bacula-director-mysql | bacula-sd-sqlite3, libhdf5-mpich-dev | libmedc1, libhdf5-mpich-dev | libmimc2-1, libhdf5-lam-dev | libmedc1, libhdf5-lam-dev | libmimc2-1, libgdal1-dev | libhdf4g-dev, libhdf5-serial-dev | libmedc1, libhdf5-serial-dev | libmimc2-1, kdebase-dbg | kdebase-runtime-dbg | kdelibs5-dbg, kdeadmin-dbg | kdebase-runtime-dbg | kdelibs5-dbg, kdebase-runtime-dbg | kdelibs5-dbg | kdewebdev-dbg, kdebase-runtime-dbg | kdegraphics-dbg | kdelibs5-dbg, kdebase-runtime-dbg | kdelibs5-dbg | kdemultimedia-dbg, kdebase-runtime-dbg | kdelibs5-dbg | kdeutils-dbg, kdebase-runtime-dbg | kdeedu-dbg | kdelibs5-dbg, kdelibs5-dbg | kdepim-dbg, kdebase-runtime-dbg | kdelibs5-dbg | kdetools-dbg, libmedc1 | octave-pkg-dev, libmimc2-1 | octave-pkg-dev, digikam-dbg | kdelibs5-dbg, bacula-director-sqlite3 | bacula-sd-pgsql, bacula-director-mysql | bacula-sd-pgsql, kdebase-runtime-dbg | kdelibs5-dbg | koffice-dbg, libhdf5-mpich-dev | libmed1, libhdf5-lam-dev | libmed1, libhdf5-serial-dev | libmed1, libmed1 | octave-pkg-dev, kdeaccessibility-dbg | kdebase-runtime-dbg | kdelibs5-dbg, kdebase-runtime-dbg | kdegames-dbg | kdelibs5-dbg, kaffeine-dbg | kdelibs5-dbg, bacula-director-sqlite | bacula-sd-pgsql, bacula-director-sqlite3 | bacula-sd-mysql, bacula-director-sqlite | bacula-sd-mysql, grub | grub-efi | grub-ieee1275 | grub-linuxbios, libhdf5-mpich-dev | libluminate7, libhdf5-lam-dev | libluminate7, libhdf5-serial-dev | libluminate7, libluminate7 | octave-pkg-dev, kdebase-runtime-dbg | kdelibs5-dbg | kdenetwork-dbg, bacula-director-pgsql | bacula-sd-sqlite3, bacula-director-pgsql | bacula-sd-mysql, kdebase-runtime-dbg | kdelibs5-dbg | kdesdk-dbg, bacula-director-mysql | bacula-sd-sqlite, bacula-director-pgsql | bacula-sd-sqlite, libhdf5-mpich-dev | python-petsc4py, libhdf5-lam-dev | python-petsc4py, libhdf5-serial-dev | python-petsc4py